

2/38






FIG. 2 (PRIOR ART)

3/38



4/38



5/38




FIG. 4A

6/38







FIG. 4B




8/38




9/38



10/38



11/38



12 / 38







FIG. 7

13/38







15/38




16 / 38



17/38







19/38

```
public interface ICodeGenerator
      /// <summary>
      /// The method returns a GeneratedCodeWithWritableArePositions.
      /// </summary>
      /// <param name="input">ICodeGenerationInput defines the data needed for cod-
generation.</param>
      /// <returns>The GeneratedCodeWithWritablePositions.</returns>
      GeneratedCodeWithWritableAreaPositions
GeneratedCode(ICodeGenerationInput input);
public interface IModelBasedCodeGenerator
      /// <summary>
      /// The method reads the store and creates the ICodeGenerationInput needed for
code generation.
      /// </summary>
      /// <returns></returns>
      ICodeGenerationInput CreateCodeGenerationInput();
}
```


FIG. 13



20 / 38




21/38




22 / 38

FIG. 16B



23 / 38



24/38





FIG. 19

25/38



26/38




FIG. 21

27 / 38




FIG. 2.

28 / 38





FIG. 23

29/38



30 / 38




FIG. 25

31/38





FIG. 26

32 / 38






FIG. 28

33 / 38





FIG. 29

34 / 38



35/38





FIG. 31

36 / 38



37 / 38

